



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_




Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame (Left Hinge)



Plan View

Floors Cutout for Heated Threshold  
 (for freezers w/ 4-sided heat cables only)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

- Cooler
- Freezer
- 3-Sided Heat Cable
- 4-Sided Heat Cable
- Temperature: \_\_\_\_\_ °F

**Gasket:**

- D-Shape
- Magnetic

**Exterior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Interior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Hardware:**

- (\_\_\_\_) Hinges \_\_\_\_\_
- Latch/Strike \_\_\_\_\_
- Inside Release \_\_\_\_\_
- Closer \_\_\_\_\_
- Cylinder Lock \_\_\_\_\_
- Locking Bar \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**Options**

- Double Frame & Header
- Return Jamb
- Wall Thickness: \_\_\_\_\_
- View Window
- Non-Heated
- Heated
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_


Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame (Right Hinge)




Plan View

Floor Cutout for Heated Threshold  
 (for Freezers w/ 4-sided heat cables only)



Opening Width + 2"



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

- Cooler
- Freezer
- 3-Sided Heat Cable
- 4-Sided Heat Cable
- Temperature: \_\_\_\_\_ °F

**Gasket:**

- D-Shape
- Magnetic

**Exterior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Interior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Hardware:**

- (\_\_\_\_\_) Hinges \_\_\_\_\_
- Latch/Strike \_\_\_\_\_
- Inside Release \_\_\_\_\_
- Closer \_\_\_\_\_
- Cylinder Lock \_\_\_\_\_
- Locking Bar \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**Options**

- Double Frame & Header
- Return Jamb
- Wall Thickness: \_\_\_\_\_
- View Window
- Non-Heated
- Heated
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame w/ 4-Side Lap (Left Hinge)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

- Cooler  
 Freezer  
 3-Sided Heat Cable  
 4-Sided Heat Cable  
 Temperature: \_\_\_\_\_°F

**Gasket:**

- D-Shape  
 Magnetic

**Exterior Finish**

- Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Interior Finish**

- Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Hardware:**

- (\_\_\_\_\_) Hinges \_\_\_\_\_  
 Latch/Strike \_\_\_\_\_  
 Inside Release \_\_\_\_\_  
 Closer \_\_\_\_\_  
 Cylinder Lock \_\_\_\_\_  
 Locking Bar \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Options**

- Double Frame & Header  
 Return Jamb  
 Wall Thickness: \_\_\_\_\_  
 View Window  
 Non-Heated  
 Heated  
 \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame w/ 4-Sided Lap (Right Hinge)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

- Cooler  
 Freezer  
 3-Sided Heat Cable  
 4-Sided Heat Cable  
 Temperature: \_\_\_\_\_ °F

**Gasket:**

- D-Shape  
 Magnetic

**Exterior Finish**

- Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Interior Finish**

- Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Hardware:**

- (\_\_\_\_\_) Hinges \_\_\_\_\_  
 Latch/Strike \_\_\_\_\_  
 Inside Release \_\_\_\_\_  
 Closer \_\_\_\_\_  
 Cylinder Lock \_\_\_\_\_  
 Locking Bar \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Options**

- Double Frame & Header  
 Return Jamb  
 Wall Thickness: \_\_\_\_\_  
 View Window  
 Non-Heated  
 Heated  
 \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame & Meat track Port & Return Jamb & Double Frame (Left Hinge)



<b>Net Opening:</b> Width: _____ Height: _____	<b>Application:</b> <input type="checkbox"/> Cooler <input type="checkbox"/> Freezer <input type="checkbox"/> 3-Sided Heat Cable <input type="checkbox"/> 4-Sided Heat Cable Temperature: _____°F	<b>Gasket:</b> <input type="checkbox"/> D-Shape <input type="checkbox"/> Magnetic	<b>Exterior Finish</b> <input type="checkbox"/> Stucco Galv. <input type="checkbox"/> Stucco White. <input type="checkbox"/> Stucco Aluminum. <input type="checkbox"/> Stucco White Alum. <input type="checkbox"/> Smooth Galv. <input type="checkbox"/> Smooth White <input type="checkbox"/> Smooth Aluminum <input type="checkbox"/> Smooth White Alum. <input type="checkbox"/> Stainless Steel _____ <input type="checkbox"/> Galvaneal <input type="checkbox"/> Other _____ <input type="checkbox"/> Kickplates <input type="checkbox"/> Aluminum Diamond Tread <input type="checkbox"/> Galvanized <input type="checkbox"/> _____	<b>Interior Finish</b> <input type="checkbox"/> Stucco Galv. <input type="checkbox"/> Stucco White. <input type="checkbox"/> Stucco Aluminum. <input type="checkbox"/> Stucco White Alum. <input type="checkbox"/> Smooth Galv. <input type="checkbox"/> Smooth White <input type="checkbox"/> Smooth Aluminum <input type="checkbox"/> Smooth White Alum. <input type="checkbox"/> Stainless Steel _____ <input type="checkbox"/> Galvaneal <input type="checkbox"/> Other _____ <input type="checkbox"/> Kickplates <input type="checkbox"/> Aluminum Diamond Tread <input type="checkbox"/> Galvanized <input type="checkbox"/> _____
<b>Track Port:</b> Width: _____ Height: _____	<b>Options</b> <input type="checkbox"/> Double Frame & Header <input type="checkbox"/> Return Jamb Wall Thickness: _____ <input type="checkbox"/> View Window <input type="checkbox"/> Non-Heated <input type="checkbox"/> Heated <input type="checkbox"/> _____			
<b>Hardware:</b> <input type="checkbox"/> (_____) Hinges _____ <input type="checkbox"/> Latch/Strike _____ <input type="checkbox"/> Inside Release _____ <input type="checkbox"/> Closer _____ <input type="checkbox"/> Cylinder Lock _____ <input type="checkbox"/> Locking Bar _____ <input type="checkbox"/> _____ <input type="checkbox"/> _____				

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned

Specifications Accepted by: \_\_\_\_\_ Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame & Meat track Port & Return Jamb & Double Frame (Right Hinge)



<p><b>Net Opening:</b>                  Width: _____                  Height: _____</p> <p><b>Track Port:</b>                  Width: _____                  Height: _____</p> <p><b>Hardware:</b>  <input type="checkbox"/> (_____) Hinges _____  <input type="checkbox"/> Latch/Strike _____  <input type="checkbox"/> Inside Release _____  <input type="checkbox"/> Closer _____  <input type="checkbox"/> Cylinder Lock _____  <input type="checkbox"/> Locking Bar _____  <input type="checkbox"/> _____  <input type="checkbox"/> _____</p>	<p><b>Application:</b>  <input type="checkbox"/> Cooler  <input type="checkbox"/> Freezer  <input type="checkbox"/> 3-Sided Heat Cable  <input type="checkbox"/> 4-Sided Heat Cable                  Temperature: _____°F</p> <p><b>Options</b>  <input type="checkbox"/> Double Frame &amp; Header  <input type="checkbox"/> Return Jamb                      Wall Thickness: _____  <input type="checkbox"/> View Window  <input type="checkbox"/> Non-Heated  <input type="checkbox"/> Heated  <input type="checkbox"/> _____</p>	<p><b>Gasket:</b>  <input type="checkbox"/> D-Shape  <input type="checkbox"/> Magnetic</p>	<p><b>Exterior Finish</b>  <input type="checkbox"/> Stucco Galv.  <input type="checkbox"/> Stucco White.  <input type="checkbox"/> Stucco Aluminum.  <input type="checkbox"/> Stucco White Alum.  <input type="checkbox"/> Smooth Galv.  <input type="checkbox"/> Smooth White  <input type="checkbox"/> Smooth Aluminum  <input type="checkbox"/> Smooth White Alum.  <input type="checkbox"/> Stainless Steel _____  <input type="checkbox"/> Galvaneal  <input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> Kickplates  <input type="checkbox"/> Aluminum Diamond Tread  <input type="checkbox"/> Galvanized  <input type="checkbox"/> _____</p>	<p><b>Interior Finish</b>  <input type="checkbox"/> Stucco Galv.  <input type="checkbox"/> Stucco White.  <input type="checkbox"/> Stucco Aluminum.  <input type="checkbox"/> Stucco White Alum.  <input type="checkbox"/> Smooth Galv.  <input type="checkbox"/> Smooth White  <input type="checkbox"/> Smooth Aluminum  <input type="checkbox"/> Smooth White Alum.  <input type="checkbox"/> Stainless Steel _____  <input type="checkbox"/> Galvaneal  <input type="checkbox"/> Other _____</p> <p><input type="checkbox"/> Kickplates  <input type="checkbox"/> Aluminum Diamond Tread  <input type="checkbox"/> Galvanized  <input type="checkbox"/> _____</p>
--	--	--	--	--

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned

Specifications Accepted by: \_\_\_\_\_


Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_  
 Job Name: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Quantity: \_\_\_\_\_  
 Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame w/ Return Jamb & Double Frame (Left Hinge)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

Cooler  
 Freezer  
 3-Sided Heat Cable  
 4-Sided Heat Cable  
 Temperature: \_\_\_\_\_°F

**Gasket:**

D-Shape  
 Magnetic

**Exterior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Interior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Hardware:**

(\_\_\_\_\_) Hinges \_\_\_\_\_  
 Latch/Strike \_\_\_\_\_  
 Inside Release \_\_\_\_\_  
 Closer \_\_\_\_\_  
 Cylinder Lock \_\_\_\_\_  
 Locking Bar \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Options**

Double Frame & Header  
 Return Jamb  
 Wall Thickness: \_\_\_\_\_  
 View window  
 Non-Heated  
 Heated  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Overlap Door w/ Flat Frame w/ Return Jamb & Double Frame (Right Hinge)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

Cooler  
 Freezer  
 3-Sided Heat Cable  
 4-Sided Heat Cable  
 Temperature: \_\_\_\_\_°F

**Gasket:**

D-Shape  
 Magnetic

**Exterior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Interior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Hardware:**

(\_\_\_\_\_) Hinges \_\_\_\_\_  
 Latch/Strike \_\_\_\_\_  
 Inside Release \_\_\_\_\_  
 Closer \_\_\_\_\_  
 Cylinder Lock \_\_\_\_\_  
 Locking Bar \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Options**

Double Frame & Header  
 Return Jamb  
 Wall Thickness: \_\_\_\_\_  
 View Window  
 Non-Heated  
 Heated  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_





Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_



Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Double Overlap Door w/ Flat Frame



Floor Cutout for Heated Threshold  
 (for freezers w/ 4-sided heat cables only)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

Cooler  
 Freezer  
 3-Sided Heat Cable  
 4-Sided Heat Cable  
 Temperature: \_\_\_\_\_ °F

**Gasket:**

D-Shape  
 Magnetic

**Exterior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Interior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Hardware:**

(\_\_\_\_) Hinges \_\_\_\_\_  
 Latch/Strike \_\_\_\_\_  
 Inside Release \_\_\_\_\_  
 Closer \_\_\_\_\_  
 Cylinder Lock \_\_\_\_\_  
 Locking Bar \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Options**

Double Frame & Header  
 Return Jamb  
 Wall Thickness: \_\_\_\_\_  
 View Window  
 Non-Heated  
 Heated  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_



Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Double Overlap Door with Flat Frame w/ 4-Side Lap



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

Cooler  
 Freezer  
 3-Sided Heat Cable  
 4-Sided Heat Cable  
 Temperature: \_\_\_\_\_°F

**Gasket:**

D-Shape  
 Magnetic

**Exterior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Interior Finish**

Stucco Galv.  
 Stucco White.  
 Stucco Aluminum.  
 Stucco White Alum.  
 Smooth Galv.  
 Smooth White  
 Smooth Aluminum  
 Smooth White Alum.  
 Stainless Steel \_\_\_\_\_  
 Galvaneal  
 Other \_\_\_\_\_

**Hardware:**

(\_\_\_\_) Hinges \_\_\_\_\_  
 Latch/Strike \_\_\_\_\_  
 Inside Release \_\_\_\_\_  
 Closer \_\_\_\_\_  
 Cylinder Lock \_\_\_\_\_  
 Locking Bar \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

**Options**

Double Frame & Header  
 Return Jamb  
 Wall Thickness: \_\_\_\_\_  
 View Window  
 Non-Heated  
 Heated  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Kickplates

Aluminum Diamond Tread  
 Galvanized  
 \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_



Job Name: \_\_\_\_\_

Date: \_\_\_\_\_

Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Reach-In Door w/ Flat Frame w/ 4-Sided Lap (Left Hinge)



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

- Cooler
- Freezer
- 3-Sided Heat Cable
- 4-Sided Heat Cable
- Temperature: \_\_\_\_\_ °F

**Gasket:**

- D-Shape
- Magnetic

**Exterior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Interior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Hardware:**

- (\_\_\_\_\_) Hinges \_\_\_\_\_
- Latch/Strike \_\_\_\_\_
- Inside Release \_\_\_\_\_
- Closer \_\_\_\_\_
- Cylinder Lock \_\_\_\_\_
- Locking Bar \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**Options**

- Double Frame & Header
- Return Jamb
- Wall Thickness: \_\_\_\_\_
- View Window
- Non-Heated
- Heated
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_



Phone: 1-877-320-3599  
 Fax: 503.665.2929  
[www.rplusdoors.com](http://www.rplusdoors.com)

Job Number: \_\_\_\_\_


Job Name: \_\_\_\_\_

Date: \_\_\_\_\_


Quantity: \_\_\_\_\_

Serial Number: \_\_\_\_\_

## Reach-In Door w/ Flat Frame w/ 4-Sided Lap (Right Hinge)



Plan View



**Net Opening:**

Width: \_\_\_\_\_  
 Height: \_\_\_\_\_

**Application:**

- Cooler
- Freezer
- 3-Sided Heat Cable
- 4-Sided Heat Cable
- Temperature: \_\_\_\_\_°F

**Gasket:**

- D-Shape
- Magnetic

**Exterior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Interior Finish**

- Stucco Galv.
- Stucco White.
- Stucco Aluminum.
- Stucco White Alum.
- Smooth Galv.
- Smooth White
- Smooth Aluminum
- Smooth White Alum.
- Stainless Steel \_\_\_\_\_
- Galvaneal
- Other \_\_\_\_\_

**Hardware:**

- (\_\_\_\_\_) Hinges \_\_\_\_\_
- Latch/Strike \_\_\_\_\_
- Inside Release \_\_\_\_\_
- Closer \_\_\_\_\_
- Cylinder Lock \_\_\_\_\_
- Locking Bar \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_

**Options**

- Double Frame & Header
- Return Jamb
- Wall Thickness: \_\_\_\_\_
- View Window
- Non-Heated
- Heated
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Kickplates

- Aluminum Diamond Tread
- Galvanized
- \_\_\_\_\_

Charges will be assumed by buyer for changes or cancellations to work in process. Buyer hereby accepts responsibility for all sizes and dimensions. This order will not be processed until all acknowledgment forms are signed and returned.

Specifications Accepted by: \_\_\_\_\_

Date: \_\_\_\_\_